



My Disc

Designed by Michael Anastassiades, 2023

42W - 2194lm - 2700K - CRI> 90

My Circuit Disc is a a suspended lamp with diffused light composed of a slender horizontal disc crossed by a vertical stem with a refined balance of geometries. Matte white painted aluminum body with polycarbonate stem. Silk screened PMMA diffuser. Edge Lighting technology light source (CRI 95 90) and adjustable brightness 10–100%. Usable power cable length 300 cm to be connected to a canopy with matte white finish. Canopy has to be ordered separately, the electronics integrated in the canopy enable use of dimming systems: PUSH dimming, 1-10V, DALI.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607057032	
Mounting	Suspension	
Environments	Indoor dry location	
Light Source Type	LED	
LED type	LED Module	
Power (W)	42	
System flux (lm)	2194	

Physical

Colour	Matte White
Length (mm)	600
Cord length (mm)	3000
Canopy dimension (mm)	71
Canopy width (mm)	149
Net weight (kg)	4.55
Package height (mm)	300
Package width (mm)	695
Package length (mm)	695
Package volume (m3)	0.14
IP internal	20



Download

Mounting instructions



Photometric Files

LDT / IES



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **F**



Non-replaceable light source















https://professional.flos.com/en/global/product/my-disc-f1903009/

F1903009

Schematic light drawing



Beam Angle:		110°
h(m)	E(lx)	D(m)
1	805	2.87
2	201	5.73
3	89	8.60
4	50	11.46
5	32	14.33

Luminous flux luminaire 2194 lm

Photometric

Lighting type	Total
Light distribution	Roto symmetric
CCT (K)	2700
CRI>	90

Electrical

Insulation class	I
Main voltage (Vac)	48
Forward voltage (V)	48
Driver	Remote excluded
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Accessories & Power Supply



REQUIRED

F1908009

My Disc Rose