




















NOSTA / Victor GU10
Pure lighting with Victor

Pure lighting with Victor









The Victor GU10 is designed to obtain a versatile accent lighting solution with a discrete elegant design. The GU10 is perfectly suited for LED retrofit bulbs.




























	VICTOR C1 Ø8CM	RING Ø7,5CM	VICTOR C1 Ø10CM	VICTOR C1B ² Ø9CM	VICTOR SB1 Ø5,5CM	VICTOR SB1 Ø10CM	VICTOR M10	VICTOR MB1V
BRONZE	U10S1HOE		U10S4HOE	U10S30HOE	U10S90HOE*	U10S91HOE*	U10S5HOE	U10S71HOE
BLACK	U10S1HZL	UP12ZL	U10S4HZL	U10S30HZL	U10S90HZL	U10S91HZL	U10S5HZL	U10S71HZL
WHITE	U10S1HWL	UP12WL	U10S4HWL	U10S30HWL	U10S90HWL	U10S91HWL	U10S5HWL	U10S71HWL
BRUSHED BRASS	U10S1HLB		U10S4HLB	U10S30HLB	U10S90HLB*	U10S91HLB*	U10S5HLB	U10S71HLB
SPRING TYPE								
LAMP								
BASE	GU10		GU10	GU10	GU10	GU10	GU10	GU10
MAX.WATT	10W		10W	10W	10W	10W	10W	10W
VOLT	220V		220V	220V	220V	220V	220V	220V
CLASS	class II 		class II 	class II 	class I 	class I 	class II 	class I 
GEAR	n-a		n-a	n-a	n-a	n-a	n-a	n-a
DIMMABLE	YES		YES	YES	YES	YES	YES	YES
DIMENSIONS (mm)	D80 x H150	D75 x H15	D100 x H150	D90 x H150	D55 x H177	D100 x H177	M10 x H150	L100x B100 x H190
	Ø40mm- 50mm		Ø70mm	Ø75-85 (h35)				

* - with black base (white base available upon request)
² C1B available on request for drillhole 45-60mm



	VICTOR MB1R	VICTOR MB2	VICTOR MB3	VICTOR MB4	VICTOR MB4V	VICTOR R2	VICTOR R3	VICTOR R4
BRONZE	U10S71RHOE	U10S72HOE	U10S73HOE	U10S74HOE	U10S70HOE	U10S52HOE	U10S53HOE	U10S54HOE
BLACK	U10S71RHZL	U10S72HZL	U10S73HZL	U10S74HZL	U10S70HZL	U10S52HZL	U10S53HZL	U10S54HZL
WHITE	U10S71RHWL	U10S72HWL	U10S73HWL	U10S74HWL	U10S70HWL	U10S52HWL	U10S53HWL	U10S54HWL
BRUSHED BRASS	U10S71RHLB	U10S72HLB	U10S73HLB	U10S74HLB	U10S70HLB			
LAMP								
BASE	GU10	GU10	GU10	GU10	GU10	GU10	GU10	GU10
MAX.WATT	10W	2x 10W	3x 10W	4x 10W	4x 10W	2x 10W	3x 10W	4x 10W
VOLT	220V	220V	220V	220V	220V	220V	220V	220V
CLASS	class I 	class I 	class I 	class I 	class I 	class I 	class I 	class I 
GEAR	n-a	n-a	n-a	n-a	n-a	n-a	n-a	n-a
DIMMABLE	YES	YES	YES	YES	YES	YES	YES	YES
DIMENSIONS (mm)	L159x B47 x H190	L159x B47x H190	L270x B47 x H190	L380x B47 x H190	L159x B159 x H190	L195 x B82 x H190	L320x B82 x H190	L445x B82x H190



	VICTOR R5	VICTOR V1	VICTOR V4	VICTOR FB2	VICTOR FB3	VICTOR 3F ADAPTOR	VICTOR 3F EUTRAC*	VICTOR 1F ADAPTOR
BRONZE	U10S55HOE	U10S51HOE	U10S50HOE	U10S82HOE	U10S83HOE	U10R1HOE ²	U10R2HOE ²	U10R3HOE ²
BLACK	U10S55HZL	U10S51HZL	U10S50HZL	U10S82HZL	U10S83HZL	U10R1HZL	U10R2HZL	U10R3HZL
WHITE	U10S55HWL	U10S51HWL	U10S50HWL	U10S82HWL	U10S83HWL	U10R1HWL	U10R2HWL	U10R3HWL
BRUSHED BRASS				U10S82HLB	U10S83HLB	U10R1HLB ²	U10R2HLB ²	U10R3HLB ²
LAMP								
BASE	GU10	GU10	GU10	GU10	GU10	GU10	GU10	GU10
MAX.WATT	5x 10W	10W	4x 10W	2x 10W	3x 10W	10W	10W	10W
VOLT	220V	220V	220V	220V	220V	220V	220V	220V
CLASS	class I	class I	class I	class I	class I	class I	class I	class I
GEAR	n-a	n-a	n-a	n-a	n-a	n-a	n-a	n-a
DIMMABLE	YES	YES	YES	YES	YES	YES	YES	YES
DIMENSIONS (mm)	L570x B82 x H190	L82x B82 x H190	L195 x B195 x H190	L180 x B79 x H190	L320 x B79 x H190			

* - only for EUTRAC rails
² with black adaptor (white adaptor possible on request)



SUCTION CUP

BRONZE																	
NICKEL																	
WHITE	UP10P1																
BLACK																	
LAMP																	
BASE																	
MAX.WATT																	
VOLT																	
CLASS																	
GEAR																	
DIMMABLE																	
DIMENSIONS (mm)																	