

# GRAU

## Team Home


Team Home ist die erste professionelle Leuchte für das Home Office. Ihre leistungsstarke Beam Lens leuchtet deinen Arbeitsplatz hell, blendfrei und gleichmäßig aus. Das indirekte Licht erhellt die ganze Decke und den Raum, was langes Arbeiten im Home Office erleichtert.

Dimme das Licht in Helligkeit und Farbe über den Schalter an der Leuchte. Mit 4000 Lumen hat Team Home 4× so viel Licht wie gewöhnliche Schreibtischleuchten.

## Farben

Farbe	Artikelnummer
● Light Blue	TM07-3
● Sand White	TM07-5
● Black	TM07-0

## Dimensionen



## Body

Maße Verpackung (L x B x H)	129 cm x 30 cm x 16 cm
Material	Aluminium
Oberfläche	Pulverbeschichtet
Gewicht	6 kg
Gewicht (inkl. Verpackung)	9 kg
Montageart	Freistehend
Nennspannung	220 - 240 V
Leistungsaufnahme	35 W
Leuchteneffizienz	114 lm/W
Länge Anschlussleitung	2 m
Schutzklasse	I
EU-Konformität	CE

# GRAU

## Licht

Leuchtmittel	LED
Leuchtenlichtstrom	4000lm
Direkter Farbwiedergabeindex	CRI94+
Indirekter Farbwiedergabeindex	CRI94+
Lichtaustritt	15% direkt / 85% indirekt
Lichtverteilung	Asymmetrisch
Mittlere Lebensdauer LED	50.000h
Color Tune	Ja
Farbtemperatur	2700 – 4000K
Lichtfarbe	Warmweiß – Kühlweiß
Dimmbar	Ja
Dimmer integriert	Ja
Art der Dimmung	Smart Switch
Energieeffizienz (direkt)	D
Energieeffizienz (indirekt)	C

# GRAU

## Team Home


Team Home is the first professional luminaire for working from home. Its powerful Beam Lens illuminates your workplace brightly, glare-free and evenly. The indirect light creates a pleasant sense of space, making it easier to work for long periods at home.

Dim the light in brightness and color using the switch on the luminaire. With 4000 lumens, Team Home has 4× as much light as conventional desk lamps.

## Colors

Color	SKU
● Light Blue	TM07-3
● Sand White	TM07-5
● Black	TM07-0

## Dimensions



## Body

Packaging dimensions (L × W × H)	129 cm × 30 cm × 16 cm
Material	Aluminum
Surface	Powder-coated
Weight	6 kg
Weight (incl. packaging)	9 kg
Mounting type	Floor
Rated voltage	220 – 240 V
Power consumption	35 W
Luminaire efficiency	114 lm/W
Length of connection cable	2 m
Protection class	I
This product is CE conform	CE

# GRAU

## Light

Light source	LED
Luminous flux	4000lm
Direct color rendering index	CRI94+
Indirect color rendering index	CRI94+
Light emission	15% direct / 85% indirect
Light distribution	Asymmetric
Average LED life	50.000h
Color Tune	Yes
Color temperature	2700 – 4000K
Light color	Warm White – Cold White
Dimmable	Yes
Dimmer integrated	Yes
Type of dimming	Smart Switch
Energy efficiency (direct)	D
Energy efficiency (indirect)	C