



FOCUS MINI

Design: Ronni Gol



FOCUS MINI 1



FOCUS MINI 2

FOCUS MINI - 3000K

Design: Ronni Gol

LIGHT·POINT
C O P E N H A G E N

ART. NAME	FOCUS MINI 1	FOCUS MINI 2	
Art. no. white	261600	261606	
Art. no. black	261601	261607	
Art. no. rose gold	261630	261633	
Art. no. brass	261631	261634	
EAN white	5711389616007	5711389286064	
EAN black	5711389516017	5711389616076	
EAN rose gold	5711389616304	5711389616335	
EAN brass	5711389616311	5711389616342	
Material	Aluminium / Glass	Aluminium / Glass	
Light source	Lumems	Lumems	
Lifetime	50.000	50.000	
Number of light sources	1	2	
Electronical gear	N/A	N/A	
Driver watt	N/A	N/A	
Light source watt	4	4	
System watt	4	8	
Voltage	220-240V	220-240V	
Dimmable	Leading/trailing Edge	Leading/trailing Edge	
Lumen output	270	540	
Lumen pr. watt	90	90	
CCT (K)	3000	3000	
RA/CRI	≥90	≥90	
Mac Adam	3	3	
Light distribution	Direct	Direct	
Beam angle	38	38	
Tilt angle	90	90	
Cutout mm.	N/A	N/A	
Rotation	350	350	
Looping	Yes	Yes	

FOCUS MINI - 2700K

Design: Ronni Gol

LIGHT·POINT
C O P E N H A G E N

ART. NAME	FOCUS MINI 1	FOCUS MINI 2	
Art. no. white	270040	270050	
Art. no. black	270041	270051	
Art. no. rose gold	270042	270052	
Art. no. brass	270043	270053	
EAN white	5711389700409	5711389286064	
EAN black	5711389700409	5711389616076	
EAN rose gold	5711389700423	5711389700522	
EAN brass	5711389700430	5711389700539	
Material	Aluminium / Glass	Aluminium / Glass	
Light source	Lumems	Lumems	
Lifetime	50.000	50.000	
Number of light sources	1	2	
Electronical gear	N/A	N/A	
Driver watt	N/A	N/A	
Light source watt	4	4	
System watt	4	8	
Voltage	220-240V	220-240V	
Dimmable	Leading/trailing Edge	Leading/trailing Edge	
Lumen output	251	502	
Lumen pr. watt	90	90	
CCT (K)	2700	2700	
RA/CRI	≥90	≥90	
Mac Adam	3	3	
Light distribution	Direct	Direct	
Beam angle	38	38	
Tilt angle	90	90	
Cutout mm.	N/A	N/A	
Rotation	350	350	
Looping	Yes	Yes	