




TRACK 3F DIM ON 3m W

200 12 430 W

AVAILABLE IN
BLACK 200 12 430 B
WHITE 200 12 430 W



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	3.1

Electrical info

CLASS	I
--------------	---

Options

TRACK OPTIONS


For detailed installation instructions, please consult the manual: [200_12_4x0_HAND.pdf](#)

TRACK 3F DIM ON 3m W

200 12 430 W


TRACK PARTS

Track profiles




200 12 410 B TRACK 3F DIM ON 1m B

200 12 410 W TRACK 3F DIM ON 1m W



200 12 420 B TRACK 3F DIM ON 2m B

200 12 420 W TRACK 3F DIM ON 2m W




200 12 430 B TRACK 3F DIM ON 3m B

200 12 430 W TRACK 3F DIM ON 3m W

TRACK 3F DIM ON 3m W


200 12 430 W

Track parts




200 12 11 B TRACK 3F DIM END SUPPLY 11 B

200 12 11 W TRACK 3F DIM END SUPPLY 11 W




200 12 12 B TRACK 3F DIM END SUPPLY 12 B

200 12 12 W TRACK 3F DIM END SUPPLY 12 W




200 12 14 B TRACK 3F DIM MIDDLE SUPPLY B

200 12 14 W TRACK 3F DIM MIDDLE SUPPLY W




200 12 21 B TRACK 3F DIM CORNER 180° B

200 12 21 W TRACK 3F DIM CORNER 180° W




200 12 24 B TRACK 3F DIM ON FLEX CORNER B

200 12 24 W TRACK 3F DIM ON FLEX CORNER W



200 12 34 B TRACK 3F DIM CORNER 90° IN B

200 12 34 W TRACK 3F DIM CORNER 90° IN W




200 12 35 B TRACK 3F DIM CORNER 90° OUT B

TRACK 3F DIM ON 3m W

200 12 430 W


200 12 35 W TRACK 3F DIM CORNER 90° OUT W




200 12 41 B TRACK 3F DIM ON END CAP B

200 12 41 W TRACK 3F DIM ON END CAP W


Fixation components



200 12 02 ANO TRACK 3F DIM ON DIRECT FIXATION ANO



200 12 13 TRACK 3F DIM ON SUSPENSION 3,0m



200 12 50 A TRACK 3F DIM ON ROD SUSPENSION 1,0m A

200 12 50 B TRACK 3F DIM ON ROD SUSPENSION 1,0m B


200 12 50 W TRACK 3F DIM ON ROD SUSPENSION 1,0m W

TRACK 3F DIM ON 3m W

200 12 430 W

Current supply

200 99 53 TRACK CURRENT SUPPLY 5 x 0,75mm² 3,0m



203 99 55 ANO CABLE BASE R ANO

203 99 55 B CABLE BASE R B

203 99 55 W CABLE BASE R W



203 99 56 ANO CABLE BASE S ANO

203 99 56 B CABLE BASE S B

203 99 56 W CABLE BASE S W


Electric connection parts



15225 0360 B CONNECTION ST B

15225 0360 W CONNECTION ST W

Special components




200 12 01 TRACK 3F DIM CUTTING TOOL

TRACK 3F DIM ON 3m W


200 12 430 W

COMPATIBLE LUMINAIRES

FRAGMA




23612 931W FRAGMA S 93014 ADM WD




23612 941W FRAGMA S 94014 ADM WD

FRAGMA SUPERSPOT




23616 931W FRAGMA L SUPERSPOT 9308 ADM WD




23616 941W FRAGMA L SUPERSPOT 9408 ADM WD


INFORM OK ADM



29312 8325 INFORM OK 83067 ADM SLIM DIM5




29312 9225 INFORM OK 92767 ADM SLIM DIM5



29312 9325 INFORM OK 93067 ADM SLIM DIM5

LED LINE OK ADM




29311 9305 LED LINE OK 930 ADM SLIM DIM5

TRACK 3F DIM ON 3m W


200 12 430 W

MULTINOVA 30 ADM




27934 9005 MULTINOVA 30 TW PRISM 930 ADM DIM5

MULTINOVA 30 PIVOT ADM




27937 9305 MULTINOVA 30 PIVOT SMOKE 930 ADM DIM5

MULTINOVA 55 ADM




28034 9005 MULTINOVA 55 TW PRISM 930 ADM DIM5


SPY 52 ADM



19881 9025 SPY 52 TW 96520 ADM DIM5




19881 9035 SPY 52 TW 96545 ADM DIM5




19881 9045 SPY 52 TW 96530 ADM DIM5

SPY 52 WALLWASH ADM



19886 9205 SPY 52 WALLWASH 927 ADM SLIM DIM5




19886 9305 SPY 52 WALLWASH 930 ADM SLIM DIM5



TRACK 3F DIM ON 3m W

200 12 430 W

SPY 66 ADM



SPY 66 LP/MP ADM





SPY 66 WALLWASH ADM



TRACK 3F DIM ON 3m W

200 12 430 W

SPY 90 ADM



SPYCO AC ADM




SPYCO Hi ADM



SUPER-OH XS PIVOT ADM



TRACK 3F DIM ON



Notes:

 DELTALIGHT®

TRACK 3F DIM ON 3m W

200 12 430 W