

Date

Name

Client



Project name

Quote#

Type/Quantity

CREDO REO 2733 JAC JAC 62 28123

[Weblink](#)



INCL. 1 x LED 7W / CRI>80 / 2700K / 618lm
 INCL. 1 x REFLECTOR FL-33°
 EXCL. LED POWER SUPPLY 350mA-DC
 EXCL. JACK SYSTEM
 ON REQUEST : 4000K

LED Technics: Lichtbron: 618 lm // 7 W // 87 lm/W
 Luminaire: 575 lm // 8 W // 71 lm/W

Klasse: III













Gewicht: 0.4 KG
 Protection level: IP20
 Minimumafstand: n.v.t.

Opties: JAC SYSTEM
 LED POWER SUPPLY 350mA-DC DIM



Voor gedetailleerde installatie-instructies, raadpleeg de handleiding: [JAC_62_28122_HAND.pdf](#)

CREDO REO 2733 JAC
JAC 62 28123

Related references
LED VOEDINGEN

<p>Weblink / Specificatieblad</p>  <p>LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9 300 90 67 Aantal toestellen: 3 x 2</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY 350mA-DC / 10W DIM8 300 90 110 220-240V / 0/50-60Hz Aantal toestellen: 1</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY 350mA-DC / 15W 300 90 91 110-240V / 0/50-60Hz Aantal toestellen: 2(1)</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY 350mA-DC / 16W DIM8 300 90 3112 110-240V / 50-60Hz Aantal toestellen: 2</p>
<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY 350mA-DC / 18W DIM8 300 90 116 220-240V / 50-60Hz Aantal toestellen: min.2- max.2</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY 350mA-DC / 8W 300 90 108 110-240V / 0/50-60Hz Aantal toestellen: 1</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 0/50-60Hz Aantal toestellen: 1 / - / - / -</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Aantal toestellen: 1 / - / -</p>
<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY MULTI-POWER DIM7 300 90 124 110-240V / 0/50-60Hz Aantal toestellen: 1 / -</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0/50-60Hz Aantal toestellen: 2(1) / - / -</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY MULTI-POWER DIM9 300 90 63 110-240V / 0/50-60Hz Aantal toestellen: 3 / - / - / -</p>	<p>Weblink / Specificatieblad</p>  <p>LED POWER SUPPLY MULTI-POWER MINI DIM5 300 90 125 110-240V / 0/50-60Hz Aantal toestellen: 1 / -</p>

Related references
JACK MONTAGE ONDERDELEN

<p>Weblink / Specificatieblad</p>  <p>JACKPOINT 203 10 01 12/48V-DC</p>	<p>Weblink / Specificatieblad</p>  <p>JACKPOINT TRIMLESS O.F.A. 328 10 04 12/48V-DC</p>
--	--

CREDO REO 2733 JAC
JAC 62 28123

Gerelateerde project foto van product familie:

