



# **Arrangements Line**

Designed by Michael Anastassiades, 2018

Diffuse light suspended lighting device. Body in extruded, curved NC-machined and black powder-coated aluminium, diffuser in platinum optical silicone. Each component can be connected to the power pack by means of an electrical and mechanical connection system designed for customisable product set-up. Roses available with two powers: lamp with power under 70W and lamp with power under 190W. Class III roses also available for installations with remote power supply: "surface" version for installations on cement, "recessed" version for plasterboard ceilings. The electronics integrated in the rose enables use of dimming systems: push, 1-10, potentiometer, DALI. In the absence of these systems, the light flow can be set with the push system included in the rose. Cable length 2.4m

1706 mm

Are you a professional and your project needs consulting and support?

**BOOK AN APPOINTMENT** 

## Main specifications

EAN	8059607014080
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
LED type	LED Module
Power (W)	29
System flux (lm)	1480

## **Physical**

Colour	Black
Cord length (mm)	2500
Net weight (kg)	0.6
Package width (mm)	50
Package length (mm)	1770
Package volume (m3)	0.01
IP internal	20

### Download

Mounting instructions	$\overline{\mathbf{A}}$	PDF
Spare Parts	$\overline{\bot}$	PDF

# Photometric Files

LDT / IES



### **Technical Drawings**

2D	<b>⊥</b> ZIP
3D	<b>⊥</b> ZIP
<b>a</b> Bim	<b>↓</b> ZIP







































https://professional.flos.com/en/global/product/arrangements-line-f0401030/

F0401030

# Schematic light drawing



# **Ecodesign and Energy** Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only) light source by a professional

### Photometric

Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

#### Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	48
LED voltage Vf (Vdc)	null
Power Supply	Remote
Dimmable	Yes
Power Supply Type	Electronic 48V
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

#### Notes

"Line" cannot be installed alone, it must be combined with other elements

## **Accessories & Power Supply**

