ARA FLOOR

Ilaria Marelli

Floor lamp, with fluorescent, LED and halogen sources depending on the version. It is composed by two elements in extruded aluminium: depending on versions, body is painted in white, anthracite, champagne and moka, while the main body can be brushed or painted white or anthracite. The LED or halogen uplight source is integrated in the body and it creates a widespread light, while a fluorescent or LED source is integrated in the main body for a widespread and adjustable light. Double switch dimmer on the cable.



NEMO - www.nemolighting.com

ARA FLOOR - 1/3

HALO+FLUO

LAMPING

Source R7s QT-DE (114mm) + G5 T16

Total power 300W + 80W

Emissionup and vertical, indirectSwitchingdouble switch, dimmable

Tension 230V

Materials aluminium + PMMA
Notes orientable diffuser

Codes

ARA KXX 2B anthracite/anthracite
ARA KWL 2B white/polished

ARA KDL 2B champagne/polished
ARA KXL 2B anthracite/polished
ARA KML 2B moka/polished
ARA KWW 2B white/white

PACKAGE


 Package 01
 13x40x50 cm / Gross weight: 12.3 Kg

 Package 02
 31x17x190 cm / Gross weight: 10.5 Kg

Structure

Certificazioni





LED+LED

LAMPING

Source LED board + linear LED

Total power 23W + 40W

Emission up and vertical, indirect

Switching double, dimmable (DALI on request)

Tension 230V

 Color temperature
 2700K/3000K

 Luminous flux
 2850lm + 5200lm

Typ cri 83 Energy class A+

Materials aluminium + PMMA
Notes orientable diffuser

Net lamp weight 21 Kg

Codes Structure

ARA TWW 2B white/white
ARA TWL 2B white/polished
ARA TXL 2B anthracite/polished
ARA TDL 2B champagne/polished
ARA TXX 2B anthracite/anthracite
ARA TML 2B moka/polished

PACKAGE

 Package 01
 13x40x50 cm / Gross weight: 12.3 Kg

 Package 02
 31x17x190 cm / Gross weight: 10.5 Kg

Certificazioni



