

ARA WALL

Ilaria Marelli

Wall lamps in die-casted and extruded aluminium. Body available in white, champagne or anthracite. Main body brushed or painted in white. It is adjustable (2x15°) to obtain a widespread direct and indirect light. Acid-etched Pyrex diffuser or opal metacrylate for the LED version. Suitable for installation on normally inflammable surfaces.



29 HALO

LAMPING

Source	R7s (114mm)
Total power	200W
Emission	double
Switching	dimmable
Tension	230V
Ip class	40
Materials	aluminium + glass
Notes	orientable diffuser

Codes

ARA HDH 32
ARA HXH 32
ARA HWH 32



Structure

champagne/polished
anthracite/polished
white/polished

PACKAGE

Package 01 18x38x12 cm / Gross weight: 1.5 Kg

Certificazioni



29 LED

LAMPING

Source	2xLED board
Total power	2x10W
Emission	double
Tension	110/230V
Color temperature	3000K
Luminous flux	2 x 1000lm
Typ cri	83
Energy class	A+
Ip class	40
Materials	aluminium + PMMA
Notes	orientable diffuser

Codes

ARA LWW 34
ARA LWL 34
ARA LXL 34
ARA LDL 34



Structure

white/white
white/polished
anthracite/polished
champagne/polished

PACKAGE

Package 01 18x38x12 cm / Gross weight: 1.5 Kg

Certificazioni



69 LED

LAMPING

Source	2xLED board
Total power	2x16W
Emission	double
Switching	dimmable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	2 x 2100lm
Typ cri	83
Energy class	A+
Ip class	40
Materials	aluminium + PMMA
Notes	orientable diffuser

Codes

ARA LWW 32
ARA LWL 32
ARA LXL 32
ARA LDL 32

Structure

white/white
white/polished
anthracite/polished
champagne/polished

PACKAGE

Package 01 18x38x12 cm / Gross weight: 1.5 Kg

Certificazioni

