

LICENCE N° 14464/1

**HOW TO READ THIS CERTIFICATION LICENCE?**

As *end product references* (cfr. catalogues, website, packaging, ...) aren't identical to *certification references* (cfr. certification licences), you'll find below an explanatory table.

Niko declares that the *end product references* in the left column correspond with the *certification references* in the right column.

End product reference	Certification reference
121-76100, 121-76100-08, 122-76100, 122-76100-08, 123-76100, 123-76100-08, 124-76100, 125-76100, 125-76100-08, 126-76100, 127-76100, 128-76100, 129-76100	A1
121-76200, 121-76200-08, 122-76200, 122-76200-08, 123-76200, 123-76200-08, 124-76200, 125-76200, 125-76200-08, 126-76200, 127-76200, 128-76200, 129-76200	A2-60
121-76800, 121-76800-08, 122-76800, 122-76800-08, 123-76800, 123-76800-08, 124-76800, 125-76800, 125-76800-08, 126-76800, 127-76800, 128-76800, 129-76800	A2-71
121-76300, 121-76300-08, 122-76300, 122-76300-08, 123-76300, 123-76300-08, 124-76300, 125-76300, 125-76300-08, 126-76300, 127-76300, 128-76300, 129-76300	A3-60
121-76700, 121-76700-08, 122-76700, 122-767-08, 123-76700, 123-76700-08, 124-76700, 125-76700, 125-76700-08, 126-76700, 127-76700, 128-76700, 129-76700	A3-71
121-76400, 121-76400-08, 122-76400, 122-76400-08, 123-76400, 123-76400-08, 124-76400, 125-76400	A4-71
120-76100, 120-76100-08	B1
120-76200, 120-76200-08	B2-60
120-76800, 120-76800-08	B2-71
120-76300, 120-76300-08	B3-60
120-76700, 120-76700-08	B3-71
120-76400, 120-76400-08	B4-71
150-76100, 151-76100, 152-76100, 153-76100, 154-76100, 157-76100, 159-76100, 160-76100, 161-76100, 250-76100	C1
150-76200, 151-76200, 152-76200, 153-76200, 154-76200, 157-76200, 159-76200, 160-76200, 161-76200, 250-76200	C2-60
150-76800, 151-76800, 152-76800, 153-76800, 154-76800, 157-76800, 159-76800, 160-76800, 161-76800, 250-76800	C2-71
150-76300, 151-76300, 152-76300, 153-76300, 154-76300, 157-76300, 159-76300, 160-76300, 161-76300, 250-76300	C3-60
150-76700, 151-76700, 152-76700, 153-76700, 154-76700, 157-76700, 159-76700, 160-76700, 161-76700, 250-76700	C3-71
150-76400, 154-76400, 157-76400, 250-76400	C4-71

End product reference	Certification reference
155-76100, 156-76100, 158-76100	D1
155-76200, 156-76200, 158-76200	D2-60
155-76800, 156-76800, 158-76800	D2-71
155-76300, 156-76300, 158-76300	D3-60
155-76700, 156-76700, 158-76700	D3-71
155-76400, 156-76400, 158-76400	D4-71
100-76100, 100-76100-08, 100-76100-09, 100-76101, 101-76100, 101-76100-08, 101-76100-09, 101-76100-20, 101-76101, 102-76100, 102-76100-08, 102-76100-09, 103-76100, 103-76100-09, 104-76100, 104-76100-08, 104-76100-09, 111-76100	E1
100-76200, 100-76200-08, 100-76200-09, 101-76200, 101-76200-08, 101-76200-09, 102-76200, 102-76200-08, 102-76200-09, 103-76200, 103-76200-09, 104-76200, 104-76200-08, 104-76200-09	E2-60
000-30024, 100-76800, 100-76800-08, 100-76800-09, 100-76801, 101-76800, 101-76800-08, 101-76800-09, 101-76801, 102-76800, 102-76800-08, 102-76800-09, 103-76800, 103-76800-09, 104-76800, 104-76800-08, 104-76800-09, 111-76800	E2-71
100-76300, 100-76300-08, 101-76300, 101-76300-08, 102-76300, 102-76300-08, 103-76300, 104-76300, 104-76300-08	E3-60
100-76700, 100-76700-08, 101-76700, 101-76700-08, 102-76700, 102-76700-08, 103-76700, 104-76700, 104-76700-08, 111-76700	E3-71
100-76400, 100-76400-08, 101-76400, 101-76400-08, 102-76400, 102-76400-08, 103-76400, 104-76400, 104-76400-08, 111-76400	E4-71
100-76005, 101-76005, 102-76005, 103-76005, 104-76005, 111-76005	E5-71

Sint-Niklaas, 12/12/2013

Rony Haentjens  
Certification & Standardization Officer

# LICENCE

**No. 14464/1 - Issue No 2**

Issued to:  
 Applicant:  
**NIKO N.V.**  
**Industriepark-West 40**  
**9100 SINT-NIKLAAS**  
**Belgium**

Licensee:  
**NIKO N.V.**  
**Industriepark-West 40**  
**9100 SINT-NIKLAAS**  
**Belgium**



Product : cover plates, multiple-  
 Trade name(s) : NIKO  
 Type(s)/model(s) : A1, A2-60, A2-71, A3-60, A3-71, A4-60, A4-71, B1, B2-60, B2-71, B3-60, B3-71, B4-60, B4-71, C1, C2-60, C2-71, C3-60, C3-71, C4-60, C4-71, D1, D2-60, D2-71, D3-60, D3-71, D4-60, D4-71, E1, E2-60, E2-71, E3-60, E3-71, E4-60, E4-71, E5-71

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.


SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 14

SGS CEBEC hereby grants the right to use the CEBEC certification mark

The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 25/09/2013



ir. C. Lana,  
 Certification Manager

© Only integral publication of this certificate, including the annex, is allowed  
 This certificate is only valid combined with the publication on the following web address: [www.sgs.com/en](http://www.sgs.com/en)



## SPECIFICATION OF THE CERTIFIED PRODUCT

### Product data

Product : cover plates, multiple-  
 Trade name(s) : NIKO  
 Type(s)/Model(s) : A1, A2-60, A2-71, A3-60, A3-71, A4-60, A4-71, B1, B2-60, B2-71, B3-60, B3-71, B4-60, B4-71, C1, C2-60, C2-71, C3-60, C3-71, C4-60, C4-71, D1, D2-60, D2-71, D3-60, D3-71, D4-60, D4-71, E1, E2-60, E2-71, E3-60, E3-71, E4-60, E4-71, E5-71  
 colour(s) : different

### Product data - type A1

serie(s) : A  
 description : single cover plate  
 construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac; PC/ASA)

### Product data - type A2-60

serie(s) : A  
 description : double cover plate center 60 mm  
 construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac; PC/ASA)

### Product data - type A2-71

serie(s) : A  
 description : double cover plate center 71 mm  
 construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac; PC/ASA)

### Product data - type A3-60

serie(s) : A  
 description : triple cover plate center 60 mm  
 construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac; PC/ASA)



**Product data - type A3-71**

serie(s) : A  
description : triple cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac;  
PC/ASA)

**Product data - type A4-60**

serie(s) : A  
description : quadruple cover plate center 60 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac;  
PC/ASA)

**Product data - type A4-71**

serie(s) : A  
description : quadruple cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac;  
PC/ASA)

**Product data - type B1**

serie(s) : B  
description : single cover plate  
construction : Monoshell (PC-ASA)

**Product data - type B2-60**

serie(s) : B  
description : double cover plate center 60 mm  
construction : Monoshell (PC-ASA)

**Product data - type B2-71**

serie(s) : B  
description : double cover plate center 71 mm  
construction : Monoshell (PC-ASA)

**Product data - type B3-60**

serie(s) : B  
description : triple cover plate center 60 mm  
construction : Monoshell (PC-ASA)

**Product data - type B3-71**

serie(s) : B  
description : triple cover plate center 71 mm  
construction : Monoshell (PC-ASA)

**Product data - type B4-60**

serie(s) : B  
description : quadruple cover plate center 60 mm  
construction : Monoshell (PC-ASA)

**Product data - type B4-71**

serie(s) : B  
description : quadruple cover plate center 71 mm  
construction : Monoshell (PC-ASA)

**Product data - type C1**

serie(s) : C  
description : single cover plate  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : inox; metal; forbo)

**Product data - type C2-60**

serie(s) : C  
description : double cover plate center 60 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : inox; metal; forbo)

**Product data - type C2-71**

serie(s) : C  
description : double cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : inox; metal; forbo)

**Product data - type C3-60**

serie(s) : C  
description : triple cover plate center 60 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : inox; metal; forbo)

**Product data - type C3-71**

serie(s) : C  
description : triple cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : inox; metal; forbo)

**Product data - type C4-60**

serie(s) : C  
description : quadruple cover plate center 60 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : inox; metal; forbo)

**Product data - type C4-71**

serie(s) : C  
description : quadruple cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : zamac; PC/ASA)

**Product data - type D1**

serie(s) : D  
description : single cover plate  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : bamboo; aluminium)

**Product data - type D2-60**

serie(s) : D  
description : double cover plate center 60 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : bamboo; aluminium)

**Product data - type D2-71**

serie(s) : D  
description : double cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : bamboo; aluminium)

**Product data - type D3-60**

serie(s) : D  
description : triple cover plate center 60 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : bamboo, aluminium)

**Product data - type D3-71**

serie(s) : D  
description : triple cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : bamboo, aluminium)

**Product data - type D4-60**

serie(s) : D  
description : quadruple cover plate center 60 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : bamboo, aluminium)

**Product data - type D4-71**

serie(s) : D  
description : quadruple cover plate center 71 mm  
construction : Duoshell (bottom shell : PC/ ASA/ top shell : bamboo, aluminium)

**Product data - type E1**

serie(s) : E  
description : single cover plate  
construction : monoshell (PC-ASA or PC)



**Product data - type E2-60**

serie(s) : E  
description : double cover plate center 60 mm  
construction : monoshell (PC-ASA or PC)

**Product data - type E2-71**

serie(s) : E  
description : double cover plate center 71 mm  
construction : monoshell (PC-ASA or PC)

**Product data - type E3-71**

serie(s) : E  
description : triple cover plate center 71 mm  
construction : monoshell (PC-ASA or PC)

**Product data - type E4-60**

serie(s) : E  
description : quadruple cover plate center 60 mm  
construction : monoshell (PC-ASA or PC)

**Product data - type E4-71**

serie(s) : E  
description : quadruple cover plate center 71 mm  
construction : monoshell (PC-ASA or PC)

**Product data - type E5-71**

serie(s) : E  
description : quintuple cover plate center 71 mm  
construction : monoshell (PC-ASA or PC)

**Product data - type E3-60**

serie(s) : E  
description : triple cover plate center 60 mm  
construction : monoshell (PC-ASA or PC)

**TESTS**

**Test requirements**

NBN C 61-112-1 based on IEC 60884-1:2002 + A1:2006  
NBN EN 60669-1 based on EN 60669-1:1999 + A1:2002 + A2:2008  
NBN EN 62094-1 based on EN 62094-1:2003 + A11:2003

**Remarks**

This certificate is based on TRF's Nos. SMT 05-009, SMT 05-010, SMT 06-008, SMT 06-009, SMT 06-010, SMT 06-011, SMT 06-012, SMT 06-013, SMT 06-014, SMT 06-015, SMT 06-016, SMT 06-017, SMT 07-003, SMT 07-004, SMT 07-005 , SMT 07-006, SMT13-001 and SMT13-002.


**Conclusion**

The examination proved that all test requirements were met.

Checked by, project leader : Zanutto Luigi - 25/09/2013

Department Manager, Product Certification :

Certification Manager :



**FACTORY LOCATION(S)**

NIKO N.V.  
Industriepark-West 40  
9100 SINT-NIKLAAS  
Belgium