

FLOS

F0291000 Black

Noctambule Floor 4 Low Cylinder Small Base

Designed by Konstantin Grcic, 2019


45W - 1343lm - 2700K



Standing lamps consisting of interconnecting glass modules reaching a height of 2,17 metres (85.43"). Cylindrical and semi-spherical transparent blown glass structure, die cast aluminium base and rings, hydroformed steel internal lateral arms and injection moulded optical opal silicone outer ring diffusers. The power supply cable is 2 metres (78.74") long, with a pedal operated panel used as a dimmer to adjust the light intensity by 10% to 100% in either direction. Wall mounted power supply unit with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607000908
Mounting	Floor
Environments	Indoor dry location
Light Source Type	LED
LED type	LED Module
Power (W)	45
System flux (lm)	1343

Physical


Colour	Black
Length (mm)	250
Cord length (mm)	1800
Net weight (kg)	20.8
Package volume (m3)	0.31
IP internal	20

Download


Mounting instructions	↓ PDF
Mounting instructions	↓ PDF
Spare Parts	↓ PDF

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by a professional




Replaceable control gear by an end-user



GWT 850°	IP 20
----------	-------

Schematic light drawing



Luminous flux luminaire
286 lm

Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240/48
LED voltage Vf (Vdc)	null
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No

Spare Parts



03.	Terminal cap	F0293030
04.	Fixing screws kit	RF0254100
05.	Ring led diffuser	RF27498
06.	Noctambule Low Cylinder	F0254000
08.	Switch dimmer 48v pmw 500hz	RF27549
09.	Small base	F0261030

DOWNLOAD



F0293030

Terminal cap



RF0254100

Fixing screws kit



RF27498

Ring led diffuser



F0254000

Noctambule Low Cylinder



RF27549

Switch dimmer 48v pmw 500hz



F0261030

Small base