



Belvedere Spot Pick Non Dimmable Anthracite

Family of adjustable outdoor LED lighting luminaires (double rotation, vertical and horizontal axle) suitable for floor installations (ground or buried) and with integrated power supply box.

220-240V power supply included. Included 2 way terminal block 4 poles IP68 H2O Stop.

Ground spike

LED

Outdoor

Power LED

Adjustable

Symmetric

10

6 230

24V Dimmable version available on request.

Version 110V upon request.



90°		90°
		#
606	AAA	60%
K/H	#	\times
1		
30° / 6	749 cd	30°,

Luminous flux luminaire 473 lm

Beam Angle:		10°
h(m)	E(lx)	D(m)
1	6749	0.17
2	1687	0.34
3	750	0.51
4	422	0.68
5	270	0.84

Aiming Light Distribution Beam Angle

LED type

Mountings Lamp category

Voltage (V) Environment

Power

Transformer Availability
Transformer Mounting
Transformer Type
Emergency
Insulation Class
Included
Integrated
Not dimmable
Without

Insulation Class II
Lamp Holder LED
Dimmable No

Colors



Note

Certificates

We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire. During the installation and the

F001F41A033 - Anthracite





maintenance of the fixtures it is important to be careful and avoid damages on the paint coating. Damages on the coating exposed to outdoor conditions or water, could cause corrosion. Chemical substances affect the anticorrosion covering protection. For LED fixtures, there is evidence that most of the damages are connected to electrical effects related to the insulations, which cause destructive electrical discharges These effects are frequently caused by: • over voltage coming from the mains' network where fixture is connected. • electrostatic discharge (ESD) coming from the environment. The use of a protective device against the overvoltage on the electrical installation is warmly suggest this helps to reduce the intensity of some of these phenomenon and prevent irreversible damages. The selection of the type of device to be used must be adjust on the electrical plant.



Belvedere Spot Pick Non Dimmable Anthracite









Spot visor F001Z010000 Spot visor with honeycomb F001Z030000

Spot visor with flood lens F001Z040000

S.P.D. (SURGE PROTECTION DEVICE) F990E00A000