

Date

Name

Client

Project name



Quote#

Type/Quantity

10/08/2020 11:56:23

Specification Sheet

LOGIC F1 213 47 112

[Weblink](#)

Opening formaat:  93 mm

Inbouwdiepte: 40 mm

Beschikbare kleuren: ALU GRIJS (213 47 112 A)

1 x LED 0,6W / 3000K
EXCL. LED POWER SUPPLY 24V-DC
Not Dimmable
max.600kg

LED Technics: Lichtbron: 45 lm // 75 lm/W
Luminaire: 3 lm // 1 W // 2 lm/W

24V-DC

Klasse: III

Gewicht: 0.2 KG

Protection level: IP67

Minimumafstand: n.v.t.






Opties: GENIE BOX 90 R
CBOX

Benodigheden: LED POWER SUPPLY 24V-DC


Voor gedetailleerde installatie-instructies, raadpleeg de handleiding: [213 47 112 HAND.pdf](#)

LOGIC F1
213 47 112


Related references
LED VOEDINGEN

Weblink / Specificatieblad  LED POWER SUPPLY 24V-DC / 150W 300 89 24 150 100-240V / 0/50-60Hz Aantal toestellen: 250	Weblink / Specificatieblad  LED POWER SUPPLY 24V-DC / 20W 300 89 24 20 110-240V / 0/50-60Hz Aantal toestellen: 33	Weblink / Specificatieblad  LED POWER SUPPLY 24V-DC / 40W 300 89 24 40 110-240V / 50-60Hz Aantal toestellen: 66	Weblink / Specificatieblad  LED POWER SUPPLY 24V-DC / 60W 300 89 24 60 110-240V / 50-60Hz Aantal toestellen: 100
Weblink / Specificatieblad  LED POWER SUPPLY 24V-DC / 60W DIN 300 89 24 61 110-240V / 50-60Hz Aantal toestellen: 100	Weblink / Specificatieblad  LED POWER SUPPLY 24V-DC / 80W DIM1 300 89 24 80 ED1 110-240V / 0/50-60Hz Aantal toestellen: 133		

Related references
GROND MONTAGE DOZEN

Weblink / Specificatieblad  GENIE BOX 90 R 213 19 09

Related references
WATERDICHTe DOORVERBINDINGEN

Weblink / Specificatieblad  CBOX 216 12 00

LOGIC F1
213 47 112

Gerelateerde project foto van product familie:

