## CENTRIC

Design by Ramos & Bassols.



Reference

5700.

Application

Ceiling Lamps

Installation type

Surface

## Description

Designed by Ramos and Bassols for Vibia the Centric collection of wall and ceiling lights is defined by its radial pattern concentric metal rings that reflect the light from a LED source located both at the centre and around the periphery of the fitting. Centric is available in two colour options, matt lacquered cream or matt lacquered white.

Diffuser

Methacrylate diffuser

Materials

Body: ABS

Diffuser: Methacrylate

**Finish** 




5700-58 Cream (NCS S 2005-Y20R, NCS S 0502-Y)



5700-93 Matt white (RAL 9010)

Sketch






**Electrical characteristics** 

2 x LED STRIP 4W 700mA

Total 8.0 W





Light source: 2700K CRI >80 3372 lm 145 lm/W

Driver included: CC - Constant Current 700 mA 220-240V 50/60Hz

Electronic dimming 1-10V Push

ficha.fichatecnicaproducto.regulacion.opcional DALI or Casambi

**Technical characteristics** 

- Exterior ring: Colour NCS S 2005-Y20R
- Interior ring: Colour NCS S 0502-Y

**Physical characteristics** 

1 Box /  $0.20 \times 0.41 \times 0.41 \text{ m.}$  / Vol.  $0.0336 \text{ m}^3$  / Gross weight 3.3 kg. / Net weight 2.4 kg.

Installation and assembly

Please, see the installation manual

Light distribution

## **General lighting**

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Efficiency: 31.87% Isolux: Floor Coordinate system : CG Light position : X=0.00m Y=0.00m Z=2.50m

Total flux: 2878.91 lm Maximum value : 138.30 cd/klm

Light position : C=0.00 G=0.00

Symmetry on the planes: Double symmetrical

Certificates











