

Date _____

Name _____

Client _____

Project name _____



Quote# _____

Type/Quantity _____

DEEP RINGO LED 2733

202 272 28123

[Weblink](#)



Opening formaat:	Ø 76 mm
Inbouwdiepte:	90 mm
Dikte montageoppervlak	min.5

NON ADJUSTABLE
 INCL.1 x LED 7-10W / CRI>80 / 2700K / max.876lm
 INCL.1 x REFLECTOR FL-33°
 EXCL.LED POWER SUPPLY 350-500mA-DC
 ON REQUEST : 4000K

LED Technics:	Lichtbron: 876 lm // 10 W // 83 lm/W Luminaire: 736 lm // 12 W // 64 lm/W
---------------	--

Klasse: III


Gewicht:	0.3 KG
Protection level:	IP43/20
Minimumafstand:	n.v.t.

Opties: LED POWER SUPPLY 350 / 500mA-DC DIM


Voor gedetailleerde installatie-instructies, raadpleeg de handleiding. [202_272_28122_02_HAND.pdf](#)

DEEP RINGO LED 2733
202 272 28123


Plafond mogelijkheden




Systeemplafond




Gipsplaat




Stucanet




Hout




Beton




Beton + pleister



Stalton + pleister




Welfsels



Welfsels + pleister


DEEP RINGO LED 2733
202 272 28123

Weblink / Specificatieblad




LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9
300 90 67
Aantal toestellen: 3 x 2

Weblink / Specificatieblad




LED POWER SUPPLY 350mA-DC / 10W DIM8
300 90 110
220-240V / 50-60Hz
Aantal toestellen: 1

Weblink / Specificatieblad




LED POWER SUPPLY 350mA-DC / 15W
300 90 91
110-240V / 0/50-60Hz
Aantal toestellen: 2(1)

Weblink / Specificatieblad




LED POWER SUPPLY MULTI-POWER DIM5
300 90 68
110-240V / 0/50-60Hz
Aantal toestellen: 1 / 2(1) / - / -

Weblink / Specificatieblad




LED POWER SUPPLY MULTI-POWER DIM6
300 90 61
220-240V / 50-60Hz
Aantal toestellen: 1 / 1 / -

Weblink / Specificatieblad




LED POWER SUPPLY MULTI-POWER DIM7
300 90 124
110-240V / 0/50-60Hz
Aantal toestellen: 1 / 1

Weblink / Specificatieblad




LED POWER SUPPLY MULTI-POWER DIM7
300 90 64
110-240V / 0/50-60Hz
Aantal toestellen: 2(1) / 2(1) / -

Weblink / Specificatieblad



LED POWER SUPPLY MULTI-POWER DIM9
300 90 63
110-240V / 0/50-60Hz
Aantal toestellen: 3 / 3 / - / -

Weblink / Specificatieblad



LED POWER SUPPLY MULTI-POWER MINI DIM5
300 90 125
110-240V / 0/50-60Hz
Aantal toestellen: 1 / 1

DEEP RINGO LED 2733
202 272 28123

Gerelateerde project foto van product familie:

