

## ToLEDo T8 CCG and AC

TOLEDO T8 V6 5FT 27W 2700LM 830 RL

0028289



### Product features

- Energy efficient and affordable LED T8 solution to replace conventional fluorescent T8 lamps
- Omnidirectional 320° uniform light distribution thanks to glass tube construction design, same as traditional fluorescent T8 tubes
- High lumen package - 2700lm
- High lumen efficacy - 100 lm/W
- Energy rating - A+
- Switching cycles - 200,000X
- Average life 40,000 hours lifespan (L70 F50)
- Wide beam angle - 220°
- High power factor - 0.90
- Suitable for general illumination in offices, supermarkets, department stores, train stations, petrol stations, parking lots and maintenance free applications
- Suitable for operation with electromagnetic gears and direct mains operation (220-240V)
- 3-Year warranty.



### NOTES

undefined

### PRODUCT OVERVIEW

Productnaam	TOLEDO T8 V6 5FT 27W 2700LM 830 RL
Technologie	LED
Watt (nominaal) (W)	27
Lampvoet	G13
Algemene toepassing	Hospitality, Logistics & Industry, Residential & Consumer,
ETIM klasse	EC001959
E-nummer FI	4940744
Garantie	5 years
Lichtstroom (nominaal) (lm)	2700
Kleurtemperatuur (K)	3000
Lichtkleur	Warm White
CRI (Ra)	80
Wattage (W)	27
Spanning (V)	230
Dimbaar	No
Gemiddelde levensduur (nominaal) (u)	40000
EAN code	5410288282893

### DATA TABLE

#### General data

Productnaam	TOLEDO T8 V6 5FT 27W 2700LM 830 RL
Technologie	LED
Watt (nominaal) (W)	27
Lampvoet	G13
Algemene toepassing	Hospitality, Logistics & Industry, Residential & Consumer,
ETIM klasse	EC001959
E-nummer FI	4940744
Garantie	5 years

## ToLEDo T8 CCG and AC

TOLEDO T8 V6 5FT 27W 2700LM 830 RL  
0028289

### Optical data

Lichtstroom (nominaal) (lm)	2700
Nuttige lichtstroom (nominaal) (lm)	2700
Kleurtemperatuur (K)	3000
Lichtkleur	Warm White
CRI (Ra)	80
Vermogen van lumen aan einde nominale levensduur (lm)	70

### Electrical data

Wattage (W)	27
Starttijd (max) (s)	0.5
Opwarmtijd tot 60% van volledig licht (max) (s)	0.5
Spanning (V)	230
Lamp arbeidsfactor	0.9
No. Of switching cycles before premature failures	200000
Dimbaar	No
Lamp energielabel (klasse)	A+
kWh per 1000 branduren	27

### Lifetime data

Gemiddelde levensduur (nominaal) (u)	40000
Gemiddelde levensduur (nominaal) (uur)	40000

### Physical data

Gewicht (kg)	0.264
--------------	-------

### Packaging

Beschrijving verpakking	Carton
EAN code	5410288282893
Enkele lengte verpakking (cm)	155.2
Enkele breedte verpakking (cm)	2.9
Hoogte eenheidsverpakking (cm)	2.9
DUN14 (outer)	15410288282890
Eenheden per omdoos	10
Lengte omdoos (cm)	159.7
Breedte omdoos (cm)	22.6
Diepte omdoos (cm)	11.7

### Safety data

Reinigingsinstructies bij breuk	Not applicable
Lamp voor speciaal doeleinde	No
Geschikt voor huishoudelijke verlichting	Yes
Safety message	Suitable for totally enclosed fixture

ToLEDo T8 CCG and AC  
TOLEDO T8 V6 5FT 27W 2700LM 830 RL  
0028289

