

# Dots

Design by Martin Azúa.

# VIBIA

## Reference

**4660.**

## Application

Wall Lamps

## Installation type

Surface

## Description

The Dots reading lamp is a compact, circular wall sconce that offers focused illumination. The luminaire can be turned to direct a cone-shaped beam of light precisely where needed. Available in solid wood from sustainable forests or lacquered in four Chromatica colours.

## Diffuser


Polycarbonate diffuser

## Materials

Body: ABS

Driver box: Aluminum

## Finish


 **4660-13** Grey L1 (NCS S 1000-N)

 **4660-27** Brown L1 (NCS S 1505-Y50R)


 **4660-37** Terra Red (NCS S 4040-Y70R)

 **4660-47** Green L1 (NCS S 4005-G80Y)

 **4660-82** White Oak (Natural oak wood)

 **4660-83** American walnut (Walnut natural wood)


## Sketch



## Electrical characteristics

1 x LED 5,75W 500mA

Total 5.8 W



**Light source:** 2700K CRI >90 500 lm 87 lm/W

**Driver included:** CC - Constant Current 500 mA 220~240V 50/60Hz

**Optional dimming:** 1-10 or DALI

## Physical characteristics

1 Box / 0.00 x 0.00 x 0.00 m. / Vol. 0.0054 m<sup>3</sup> /  
Gross weight 0.7 kg. / Net weight 0.4 kg.

## Installation and assembly

Please, see the installation manual

## Light distribution

### Reading

Lamp having a light beam whose main function is to supply sufficient light for reading.



## Photometric data

Efficiency : 21.52 lm/W

Coordinate system : CG

Total flux : 170.03 lm

Maximum value : 201.33 cd

Light position : C=90.00 G=22.50

Symmetry on the planes : Symmetrical planes

270-90

Isolux : Floor

Light position :

X=0.00m Y=0.00m Z=2.50m

## Certificates



