































NOSTA / Victor LED  
*Pure lighting with Victor*



**Pleasant lighting with Victor**  
The LED module has a hybride optic system for the perfect lightbeam and to avoid any dazzle while improving light performance. The reflector is protected from dust.








	VICTOR C1 Ø8CM	RING Ø7,5CM	VICTOR C1 Ø10CM	VICTOR C1B <sup>3</sup> Ø9CM	VICTOR SB1 Ø5,5CM	VICTOR SB1 Ø10CM	VICTOR MB1V	VICTOR MB1R
BRONZE	U10S1DOE		U10S4DOE	U10S3DOE	U10S90DOE*	U10S91DOE*	U10S71DOE	U10S71RDOE
BLACK	U10S1DZL	UP12ZL	U10S4DZL	U10S30DZL	U10S90DZL	U10S91DZL	U10S71DZL	U10S71RDZL
WHITE	U10S1DWL	UP12WL	U10S4DWL	U10S30DWL	U10S90DWL	U10S91DWL	U10S71DWL	U10S71RDWL
BRUSHED BRASS	U10S1DLB		U10S4DLB	U10S30DLB	U10S90DLB*	U10S91DLB*	U10S71DLB	U10S71RDLB
SPRING TYPE								
LED								
CCT	2700		2700	2700	2700	2700	2700	2700
ANGLE	25 <sup>°1</sup>		25 <sup>°1</sup>	25 <sup>°1</sup>	25 <sup>°1</sup>	25 <sup>°1</sup>	25 <sup>°1</sup>	25 <sup>°1</sup>
MAX.CURRENT	maximum 350mA		maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA
MAX.WATT	6W		6W	6W	6W	6W	6W	6W
LUMEN	740lm		740lm	740lm	740lm	740lm	740lm	740lm
CLASS	class II 		class II 	class II 	class I 	class I 	class I 	class I 
GEAR	not incorporated		not incorporated	not incorporated	not incorporated	incorporated	incorporated	incorporated
DIMMABLE	-		-	-	-	YES - TRIAC	NO <sup>2</sup>	NO <sup>2</sup>
DIMENSIONS (mm)	D80 x H150	D75 x H15	D100 x H150	D90 x H150	D55 x H177	D100 x H177	L100x B100 x H190	L159x B47 x H190
	Ø40mm- 50mm		Ø70mm	Ø75-85 (h35)				



	VICTOR MB2	VICTOR MB3	VICTOR MB4	VICTOR MB4V	VICTOR R2	VICTOR R3	VICTOR R4	VICTOR R5
BRONZE	U10S72DOE	U10S73DOE	U10S74DOE	U10S70DOE	U10S52DOE	U10S53DOE	U10S54DOE	U10S55DOE
BLACK	U10S72DZL	U10S73DZL	U10S74DZL	U10S70DZL	U10S52DZL	U10S53DZL	U10S54DZL	U10S55DZL
WHITE	U10S72DWL	U10S73DWL	U10S74DWL	U10S70DWL	U10S52DWL	U10S53DWL	U10S54DWL	U10S55DWL
BRUSHED BRASS	U10S72DLB	U10S73DLB	U10S74DLB	U10S70DLB				
LED								
CCT	2700	2700	2700	2700	2700	2700	2700	2700
ANGLE	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>
MAX.CURRENT	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA
MAX.WATT	2x 6W	3x 6W	4x 6W	4x 6W	2x 6W	3x 6W	4x 6W	5x 6W
LUMEN	740lm	740lm	740lm	740lm	740lm	740lm	740lm	740lm
CLASS	class I	class I	class I	class I	class I	class I	class I	class I
GEAR	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated
DIMMABLE	NO	NO	NO	NO <sup>2</sup>	NO	NO	NO	NO
DIMENSIONS (mm)	L159x B47x H190	L270x B47 x H190	L380x B47 x H190	L159x B159 x H190	L195 x B82 x H190	L320x B82 x H190	L445x B82x H190	L570x B82 x H190

1 - 60° upon request  
2 - dimmable upon request



	VICTOR V1	VICTOR V4	VICTOR FB2	VICTOR FB2 DIM	VICTOR FB3 DIM	VICTOR M10				
BRONZE	U10S51DOE	U10S50DOE	U10S82DOE	U10S82DOED	U10S83DOE	U10S5DOE				
BLACK	U10S51DZL	U10S50DZL	U10S82DZL	U10S82DZLD	U10S83DZL	U10S5DZL				
WHITE	U10S51DWL	U10S50DWL	U10S82DWL	U10S82DWLD	U10S83DWL	U10S5DWL				
BRUSHED BRASS			U10S82DLB	U10S82DLBD	U10S83DLB	U10S5DLB				
LED										
CCT	2700	2700	2700	2700	2700	2700				
ANGLE	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>	25° <sup>1</sup>				
MAX.CURRENT	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA				
MAX.WATT	6W	4x 6W	2x 6W	2x 6W	3x 6W	6W				
LUMEN	740lm	740lm	740lm	740lm	740lm	740lm				
CLASS	class I	class I	class I	class I	class I	class II				
GEAR	incorporated	incorporated	incorporated	incorporated	incorporated	not incorporated				
DIMMABLE	NO	NO <sup>2</sup>	NO	YES - TRIAC	YES - TRIAC	-				
DIMENSIONS (mm)	L82x B82 x H190	L195 x B195 x H190	L180 x B79 x H190	L180 x B79 x H190	L x B79 x H190	M10 x H150				