

TECHNICAL SHEET

1913-23 LARGE

Mounting: Sospensione / Suspension
 Environment: Indoor - IP20
 Materials: Cemento / Concrete
 Voltage: 230V 50/60Hz
 Source: 4W - 3000K
 Lumen: 208 lm
 Dimming: /



1913-22 MEDIUM

Mounting: Sospensione / Suspension
 Environment: Indoor - IP20
 Materials: Cemento / Concrete
 Voltage: 230V 50/60Hz
 Source: 4W - 3000K
 Lumen: 208 lm
 Dimming: /



1913-20 SMALL

Mounting: Sospensione / Suspension
 Environment: Indoor - IP20
 Materials: Cemento / Concrete
 Voltage: 230V 50/60Hz
 Source: 4W - 3000K
 Lumen: 208 lm
 Dimming: /



Rosoni / Canopies

1704-90 CANOPY TYPE B

Mounting: a soffitto / ceiling
 Environment: Indoor - IP20
 Materials: Metallo / Metal
 Dimming: on-off 0-10V / Dimmable DALI




1704-91 CANOPY TYPE B RECESSED

Mounting: incasso / recessed
 Environment: Indoor - IP20
 Materials: Metallo / Metal



NOTE:
 Remote driver not included



Finiture / Finishes


Struttura / Structure



Grafite
Graphite



Verde salvia
Sage green




Senape
Mustard




Bianco
White


Fotometrie / Photometric Data



Large



Small



Medium

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli o con le piastre multiple.
Vale altresì il viceversa: rosoni e piastre multiple non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosoni oppure pendente/i + piastra multipla.
Qualsiasi installazione non autorizzata non viene giudicata conforme.

All luminaires can only be sold with the single rosettes or with the multiple plates.
The reverse is also true: rosettes and multiple plates cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette or pendant(s) + multiplate.
Any unauthorized installation will not be deemed compliant.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1913-23-C500-N4NE	large suspension		verde salvia / sage green	cavo / wire 4 mt
1913-23-C500-N2NE	large suspension		verde salvia / sage green	cavo / wire 2 mt
1913-23-C400-N4NE	large suspension		senape / mustard	cavo / wire 4 mt
1913-23-C400-N2NE	large suspension		senape / mustard	cavo / wire 2 mt
1913-23-C300-N4NE	large suspension		bianco / white	cavo / wire 4 mt
1913-23-C300-N2NE	large suspension		bianco / white	cavo / wire 2 mt
1913-23-C200-N4NE	large suspension		grafite / graphite	cavo / wire 4 mt
1913-23-C200-N2NE	large suspension		grafite / graphite	cavo / wire 2 mt
1913-22-C500-N4NE	medium suspension		verde salvia / sage green	cavo / wire 4 mt
1913-22-C500-N2NE	medium suspension		verde salvia / sage green	cavo / wire 2 mt
1913-22-C400-N4NE	medium suspension		senape / mustard	cavo / wire 4 mt
1913-22-C400-N2NE	medium suspension		senape / mustard	cavo / wire 2 mt
1913-22-C300-N4NE	medium suspension		bianco / white	cavo / wire 4 mt
1913-22-C300-N2NE	medium suspension		bianco / white	cavo / wire 2 mt
1913-22-C200-N4NE	medium suspension		grafite / graphite	cavo / wire 4 mt
1913-22-C200-N2NE	medium suspension		grafite / graphite	cavo / wire 2 mt
1913-20-C500-N4NE	small suspension		verde salvia / sage green	cavo / wire 4 mt
1913-20-C500-N2NE	small suspension		verde salvia / sage green	cavo / wire 2 mt
1913-20-C400-N4NE	small suspension		senape / mustard	cavo / wire 4 mt
1913-20-C400-N2NE	small suspension		senape / mustard	cavo / wire 2 mt
1913-20-C300-N4NE	small suspension		bianco / white	cavo / wire 4 mt
1913-20-C300-N2NE	small suspension		bianco / white	cavo / wire 2 mt
1913-20-C200-N4NE	small suspension		grafite / graphite	cavo / wire 4 mt
1913-20-C200-N2NE	small suspension		grafite / graphite	cavo / wire 2 mt
1704-90-0600-NXLE	canopy type B	oro opaco / matt gold		on-off
1704-90-0600-DXLE	canopy type B	oro opaco / matt gold		dimmbable 0-10V
1704-90-0100-NXLE	canopy type B	bianco opaco / matt white		on-off
1704-90-0100-DXLE	canopy type B	bianco opaco / matt white		dimmbable 0-10V
1704-90-1100-NXLE	canopy type B	nero opaco / matt black		on-off
1704-90-1100-DXLE	canopy type B	nero opaco / matt black		dimmbable 0-10V
1704-90-0600-PXLE	canopy type B	oro opaco / matt gold		dimmbable DALI
1704-90-0100-PXLE	canopy type B	bianco opaco / matt white		dimmbable DALI
1704-90-1100-PXLE	canopy type B	nero opaco / matt black		dimmbable DALI
1704-91-0100-NXLE	canopy type B recessed	bianco opaco / matt white		