

NOSTA / Louis

Minimalistic lighting with Louis











Minimalistic lighting with Louis


A lot of thought, practice and time went into the production and development of this little spot, just to find the supreme excellence of simplicity. The fruit of Nosta's coherent design philosophy, craft and technology. The LED's are developed in world leading lab's and are the best in its class. You see and feel the difference.

















	LOUIS C1 D8CM	LOUIS C1 D10CM	LOUIS C1 D4,5CM	LOUIS C1S D4,5CM	LOUIS C1S D9CM	LOUIS C1B D9CM	LOUIS C2 D14CM	LOUIS C3 D14CM
BRONZE	U9S1DOE	U9S4DOE	U9S21DOE	U9S20DOE	U9S13DOE	U9S30DOE	U9S2DOE	U9S3DOE
NICKEL	U9S1DNM	U9S4DNM	U9S21DNM	U9S20DNM	U9S13DNM	U9S30DNM	U9S2DNM	U9S3DNM
WHITE	U9S1DWL	U9S4DWL	U9S21DWL	U9S20DWL	U9S13DWL	U9S30DWL	U9S2DWL	U9S3DWL
BLACK	U9S1DZL	U9S4DZL	U9S21DZL	U9S20DZL	U9S13DZL	U9S30DZL	U9S2DZL	U9S3DZL
SPRING TYPE								
LED								
CCT	2700	2700	2700	2700	2700	2700	2700	2700
ANGLE	15° 1	15° 1	15° 1	15° 1	15° 1	15° 1	15° 1	15° 1
MAX.CURRENT	700mA	700mA	700mA	700mA	700mA	700mA	700mA	700mA
MAX.WATT	2W	2W	2W	2W	2W	2W	2x 2W	3x 2W
LUMEN	210	210	210	210	210	210	210	210
CLASS								
GEAR	not incorporated	not incorporated	not incorporated	not incorporated	not incorporated	not incorporated	not incorporated	not incorporated
DIMMABLE	-	-	-	-	-	-	-	-
DIMENSIONS (mm)	D80 x H90	D100 x H90	D45 x H90	D45 x H90	D90 x H90	D90 x H90	D140 x H90	D140 x H90
	D 40mm-50mm	D 70mm	D 25mm	D 40mm	D 40mm-80mm	D 75mm-85mm	D 100mm	D 100mm























	LOUIS LB1 D8CM	LOUIS LB1 D10CM	LOUIS LB2 D14CM	LOUIS LB3 D14CM	LOUIS LB4 D14CM	LOUIS MB1V	LOUIS MB1R	LOUIS MB2
BRONZE	U9S19DOE	U9S41DOE	U9S42DOE	U9S43DOE	U9S44DOE	U9S71DOE	U9S71RDOE	U9S72DOE
NICKEL	U9S19DNM	U9S41DNM	U9S42DNM	U9S43DNM	U9S44DNM	U9S71DNM	U9S71RDNM	U9S72DNM
WHITE	U9S19DWL	U9S41DWL	U9S42DWL	U9S43DWL	U9S44DWL	U9S71DWL	U9S71RDWL	U9S72DWL
BLACK	U9S19DZL	U9S41DZL	U9S42DZL	U9S43DZL	U9S44DZL	U9S71DZL	U9S71RDZL	U9S72DZL
LED								
CCT	2700	2700	2700	2700	2700	2700	2700	2700
ANGLE	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹
MAX.CURRENT	700mA	700mA	700mA	700mA	700mA	700mA	700mA	700mA
MAX.WATT	2W	2W	2x 2W	3x 2W	4x 2W	2W	2W	2x 2W
LUMEN	210	210	210	210	210	210	210	210
CLASS	class I	class I	class I	class I	class I	class I	class I	class I
GEAR	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated
DIMMABLE	NO	NO	NO	NO	NO	NO	NO	NO
DIMENSIONS (mm)	D80 x H116	D100 x H116	D140 x H116	D140 x H116	D140 x H116	L100 x B100 x H134	L159 x B47 x H134	L159 x B47 x H134



	LOUIS MB3	LOUIS MB4	LOUIS MB4V	LOUIS 2R BOX CLASSIC	LOUIS 4V BOX CLASSIC	LOUIS R2	LOUIS R3	LOUIS R4
BRONZE	U9S73DOE	U9S74DOE	U9S70DOE	U9S62DOE	U9S60DOE	U9S52DOE	U9S53DOE	U9S54DOE
NICKEL	U9S73DNM	U9S74DNM	U9S70DNM	U9S62DNM	U9S60DNM	U9S52DNM	U9S53DNM	U9S54DNM
WHITE	U9S73DWL	U9S74DWL	U9S70DWL	U9S62DWL	U9S60DWL	U9S52DWL	U9S53DWL	U9S54DWL
BLACK	U9S73DZL	U9S74DZL	U9S70DZL	U9S62DZL	U9S60DZL	U9S52DZL	U9S53DZL	U9S54DZL
LED								
CCT	2700	2700	2700	2700	2700	2700	2700	2700
ANGLE	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹	15° ¹
MAX.CURRENT	700mA	700mA	700mA	700mA	700mA	700mA	700mA	700mA
MAX.WATT	3x 2W	4x 2W	4x 2W	2x 2W	4x 2W	2x 2W	3x 2W	4x 2W
LUMEN	210	210	210	210	210	210	210	210
CLASS	class I 	class I 	class I 	class I 	class I 	class I 	class I 	class I 
GEAR	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated	incorporated
DIMMABLE	NO	NO	NO ²	NO ²	NO ²	NO ²	NO ²	NO ²
DIMENSIONS (mm)	L270x B47 x H139	L380x B47 x H139	L159x B159 x H139	L190x B57 x H139	L122 x B122 x H139	L195 x B82 x H130	L320 x B82 x H130	L445 x B82 x H130

¹ 32° upon request
² dimmable upon request



	LOUIS R5	LOUIS V1	LOUIS V4	LOUIS M10	LOUIS FLOOR 80CM	LOUIS FLOOR 100CM	LOUIS -T- 40CM LB1 10CM incl. switch	LOUIS -T- 60CM LB1 10CM incl. switch
BRONZE	U9S55DOE	U9S51DOE	U9S50DOE	U9S5DOE	U9F1DOE	U9F2DOE	U9TC49DOE	U9TE49DOE
NICKEL	U9S55DNM	U9S51DNM	U9S50DNM	U9S5DNM	U9F1DNM	U9F2DNM	U9TC49DNM	U9TE49DNM
WHITE	U9S55DWL	U9S51DWL	U9S50DWL	U9S5DWL				
BLACK	U9S55DZL	U9S51DZL	U9S50DZL	U9S5DZL				
LED								
CCT	2700	2700	2700	2700	2700	2700	2700	2700
ANGLE	15° ¹	15° ¹	15° ¹	15° ¹	32°	32°	32°	32°
MAX.CURRENT	700mA	700mA	700mA	700mA	700mA	700mA	700mA	700mA
MAX.WATT	5x 2W	2W	4x 2W	2W	2W	2W	2W	2W
LUMEN	210	210	210	210	210	210	210	210
CLASS	class I 	class I 	class I 		class I 	class I 	class I 	class I 
GEAR	incorporated	incorporated	incorporated	not incorporated	incorporated	incorporated	incorporated	incorporated
DIMMABLE	NO ²	NO	NO ²	NO	NO	NO	NO	NO
DIMENSIONS (mm)	L570 x B82 x H130	L82 x B82 x H130	L195x B195 x H130	M10 x H90	D180 x H800	D180 x H1000	D100 x L465	D100 x L665