




Ambrosia

Ciszak Dalmas

marset




Ambrosia 120



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side) They can be combined.

(2) Lightpoint


Ambrosia 210




(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

(2) Lightpoint


Canopy



Ambrosia 180



Ambrosia 315



Aluminium structure. Methacrylate light tube.

- Black
- Matt Gold

Ambrosia 120

LED SMD 21,47W 24V CRI90
2200K - 2700K - 3000K (included)
Luminaire: 1885 lm (2200K) - 1892 lm (2700K) - 1927 lm (3000K)

Ambrosia 180

LED SMD 28,8W 24V CRI90
2200K - 2700K - 3000K (included)
Luminaire: 2823 lm (2200K) - 2833 lm (2700K) - 2886 lm (3000K)

Ambrosia 210

LED SMD 28,8W 24V CRI90
2200K - 2700K - 3000K (included)
Luminaire: 2803 lm (2200K) - 2813 lm (2700K) - 2866 lm (3000K)

Ambrosia 315

LED SMD 43,2W 24V CRI90
2200K - 2700K - 3000K (included)
Luminaire: 4220 lm (2200K) - 4235 lm (2700K) - 4314 lm (3000K)

Power supply (RSC)

- Power supply 20W - 24V - Clase II - Triac
- Power supply 50W - 24V - Clase II - Triac
- Power supply 35W - 24V - Clase II - DALI
- Power supply 60W - 24V - Clase II - DALI

dimable*

*It depends on the purchased power supply, Triac o DALI. 24V remote power supply to be ordered separately.

The starting point for the Ambrosia was to bring back the traditional Linestra lamp to update it and show that a technical, resolute design can also be poetic.



- [Download](#) Assembly Instructions
- [Download](#) Photometric Data
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Energy label

Watch the video

info@marset.com
www.marset.com