



LOGIC 40 R MOON 93015 ANO

13956 9310 ANO

BESCHIKBAAR IN
ALU GEANODISEERD 13956 9310 ANO



Bekijk op website



Algemene info

LOCATIE	buiten
INSTALLATIE	Vloer Inbouw
ZAAGMAAT/OPENING (MM)	rond - 43
INBOUWDIEPTE (MM)	85
STOF EN WATERDICHTHEID	IP67
IK	IK08
GEWICHT (KG)	0.2
RICHTBAARHEID	niet richtbaar
INFO	REFLECTOR SP-15° INCL.1 x CABLE H05 RN-F 2 x 1mm ² 0,5m EXCL.LED POWER SUPPLY 350mA-DC IEC 60598-2-13 : max.150kg 25N/cm ² ESG 6mm

Elektrische info

KLASSE	III
DIM TYPE	afhankelijk van de te kiezen externe voeding
ENERGIE KLASSE	F
CERTIFICATEN	CB, ENEC, EPD

Info lichtbron

LIGHTSOURCE NAME	LED
LICHTBRON	LED array 3,9W / CRI>90 (R9: 55) / 3000K / 385lm
TM-30-15 WAARDEN	rf: 92 / Rg: 98
SDCM	SDCM2
RISK-GROEP	RG2 (threshold 0,6m)
LM80	L90B10 > 41000
LED TECHNIEK (LICHTBRON)	385lm // 3,9W // 98lm/W
LED TECHNIEK (TOESTEL)	85lm // 4,5W // 19lm/W

Benodigdheden

LED POWER SUPPLY 350mA-DC DIM

LOGIC 40 R MOON 93015 ANO

13956 9310 ANO

Opties

LOGIC 40 BOX R

CBOX

IP68 CONNECTION KIT

IP68 CONNECTOR 3P

Voor gedetailleerde montage gegevens, consulteer de handleiding: [13956_XXX0_HAND.pdf](#)


LOGIC 40 R MOON 93015 ANO

13956 9310 ANO

VERVOLLEDIG UW SPECIFICATIE

LED voedingen


#



300 90 63

LED POWER SUPPLY MULTI-POWER DIM9


6(6)



300 90 68

LED POWER SUPPLY MULTI-POWER DIM5


4(3)



300 90 69

LED POWER SUPPLY MULTI-POWER HV DIM9


2->9(10)



300 90 124

LED POWER SUPPLY MULTI-POWER DIM7


2->4(3)



300 90 125

LED POWER SUPPLY MULTI-POWER MINI DIM5


4(3)



21012 0010

LED POWER SUPPLY MULTI POWER


2->3



21012 0021

LED POWER SUPPLY MULTI POWER DIM1


4



21012 0035

LED POWER SUPPLY MULTI POWER DIM5

4




21012 005W

LED POWER SUPPLY MULTI-POWER COMPACT WDL

4


LOGIC 40 R MOON 93015 ANO

13956 9310 ANO




21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8

2->2 ☐




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

3->3 ☐




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

3 ☐



21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68


4(3) ☐



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

3 ☐

Grond montage dozen





13910 0010 LOGIC 40 BOX R

☐

LOGIC 40 R MOON 93015 ANO
13956 9310 ANO

Waterdichte doorverbindingen

	216 12 00 CBOX	☐
	216 12 01 IP68 CONNECTION KIT	☐
	216 12 02 IP68 CONNECTOR 3P	☐

Notes: