

# NEMO

## Luminaire


Code KES LWW 54  
Name Kepler Petite

## Measurement

Code Nemo Lighting  
Name Kepler Petite

Luminaire Flux	1953.80 lm	Luminaire Power	50.00 W	Efficacy	39.08 lm/W	Efficiency	100.00%
Lamps Flux	1953.80 lm	Maximum value	145.41 cd/klm	Position	C=150.00 G=12.00	CG	Asymmetrical
Rectangular Luminaire Rectangular Luminous Area	Length Length	500 mm 500 mm	Width Width	500 mm 500 mm	Height Height	350 mm 350 mm	
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.250000 m2 0.175000 m2 0.175000 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.175000 m2 0.175000 m2 0.230282 m2				
Coordinate system Date Measurement Distance	CG 27-01-2000 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Asymmetrical 180 1953.80 lm				
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell					

Line	Code	Luminaire Lamps Name	Flux [lm]	Pow. [W]	Q.ty
	KETLER PETIT	KETLER PETIT	1953.80	50.00	1
C.I.E. F UTE	29 57 80 73 100 0.73 J + 0.27 T	D DIN 5040 B NBN	B11 BZ 7		



ULOR 26.54 %  
DLOR 73.46 %  
RN 26.54 %

