



## ENTERO SQ-M IP SOFT 93030 W



28515 9020 W

AVAILABLE IN

**BLACK** 28515 9020 B

**GOLD COLOURED** 28515 9020 GC

**WHITE** 28515 9020 W



 [View on website](#)

### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Ceiling Recessed
<b>CUTOUT SHAPE/SIZE (MM)</b>	square - 92 x 92
<b>RECESSED DEPTH (MM)</b>	145
<b>THICKNESS OF MOUNTING SURFACE (MM)</b>	12,5 or 25
<b>INGRESS PROTECTION</b>	IP44/20
<b>WEIGHT (KG)</b>	0.42
<b>ADJUSTABILITY</b>	0° to 20° swiveling, 355° rotatable
<b>INFORMATION</b>	REFLECTOR FL-30° EXCL.DIMMABLE LED POWER SUPPLY 450mA-DC

### Electrical info

<b>CLASS</b>	III
<b>DIM TYPE</b>	depending on type of external power supply
<b>ENERGY CLASS</b>	F
<b>CERTIFICATES</b>	CB, ENEC

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED array 16,1W / CRI>90 (R9: 50) / 3000K-1800K / 1618lm
<b>TM-30 VALUES</b>	Rf: 90 / Rg: 99
<b>SDCM</b>	SDCM2
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1618lm // 16,1W // 101lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	1054lm // 19W // 57lm/W

### Requirements




LED POWER SUPPLY 450mA-DC DIM

For detailed installation instructions, please consult the manual: [28515\\_XXX0\\_HAND.pdf](#)

# ENTERO SQ-M IP SOFT 93030 W

28515 9020 W

## CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Stretched ceiling	-


**ENTERO SQ-M IP SOFT 93030 W**

28515 9020 W

**FINISH YOUR SPECIFICATION**

**Emergency units**

---



**21032 0270 B** EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

---


**21032 0270 W** EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

**ENTERO SQ-M IP SOFT 93030 W**

28515 9020 W


**LED power supplies**

#




**300 90 68** LED POWER SUPPLY MULTI-POWER DIM5

1(0)




**300 90 124** LED POWER SUPPLY MULTI-POWER DIM7

1(0)




**300 90 125** LED POWER SUPPLY MULTI-POWER MINI DIM5

1(0)




**21012 005W** LED POWER SUPPLY MULTI-POWER COMPACT WDL

1




**21012 0298** LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1




**21012 0420** LED POWER SUPPLY MULTI POWER 250-1000mA-DC / 35W

1(1)



**21012 0431** LED POWER SUPPLY MULTI POWER 250-1000mA-DC / 35W DIM1

1(1)



**21012 0445** LED POWER SUPPLY MULTI POWER 250-1000mA-DC / 35W DIM5

1(1)

Notes:

 DELTALIGHT®

**ENTERO SQ-M IP SOFT 93030 W**

28515 9020 W